

**In the Claims:**

1. (Currently Amended) A method of testing data retention of ~~memory; including: a memory,~~  
comprising:

writing first data to a first memory sub-group during a first time period;

writing second data to a second memory sub-group during a second time period  
subsequent to said first time period;

pausing for a predetermined time interval during a third time period subsequent to  
said second time period if the total time required to write said first data to said  
first memory sub-group and said second data to said second memory sub-group  
is insufficient to determine data retention capabilities of said first and second  
memory sub-groups;

reading a first one of said first and second data during a fourth time period subsequent  
to said third time period;

reading a second one of said first and second data during a fifth time period  
subsequent to said fourth time period; and

comparing said first and second ones of read data to expected results to determine  
said data retention capabilities of said first and second memory sub-groups.

2. (Original) The method as recited in Claim 1 wherein said first and second data are written  
in a checkerboard pattern.

- 3-4. (Canceled)

5. (Currently Amended) The method as recited in Claim 1 further comprising:

writing third data to said first memory sub-group during a sixth time period

subsequent to said fifth time period;

writing fourth data to said second memory sub-group during a seventh time period

subsequent to said sixth time period;

pausing during an eighth time period subsequent to said seventh time period if the

total time required to write said third data to said first memory sub-group and

said fourth data to said second memory sub-group is insufficient to further

determine said data retention capabilities of said first and second memory sub-

groups;

reading a first one of said third and fourth data during a ninth time period subsequent

to said eighth time period;

reading a second one of said third and fourth data during a tenth time period

subsequent to said ninth time period; and

comparing said first and second ones of read third and fourth data to expected results

to further determine said data retention capabilities of said first and second

memory sub-groups.

6. (Original) The method as recited in Claim 5 wherein said first and second data are written in a first pattern and said third and fourth data are written in a second pattern different from said first pattern.
7. (Original) The method as recited in Claim 6 wherein said second pattern is an inverse of said first pattern.

8. (Original) The method as recited in Claim 6 wherein said first pattern is a checkerboard pattern and said second pattern is an inverse checkerboard pattern.
9. (Currently Amended) A system for testing data retention of memory, comprising:
  - a plurality of memory controllers each associated with and configured to access at least one memory sub-group;
  - a test controller configured to enable said memory controllers to:
    - write to said associated memory sub-groups during a plurality of first time periods that are each distinct to one of said memory controllers,
    - pause for a predetermined time interval during a second time period that is subsequent to said first time periods if the total time required to write to said memory sub-groups during said plurality of first time periods is insufficient to determine data retention capabilities of said memory sub-groups, and
    - read from said associated memory sub-groups during a plurality of third time periods that are each distinct to one of said memory controllers and subsequent to said second time period; and
  - a comparison device configured to compare data read from said memory sub-groups to expected results to determine said data retention capabilities of said memory sub-groups.
10. (Original) The system as recited in Claim 9 wherein said plurality of memory controllers includes a plurality of built-in self-test (BIST) controllers.

11. (Original) The system as recited in Claim 9 wherein said plurality of memory controllers includes dedicated memory controllers each associated with and configured to access one of said memory sub-groups.
12. (Original) The system as recited in Claim 9 wherein said plurality of memory controllers includes shared memory controllers each associated with and configured to access at least two of said memory sub-groups.
13. (Original) The system as recited in Claim 9 wherein said test controller includes a test access port (TAP) controller.
14. (Original) The system as recited in Claim 9 wherein said test controller is configured to enable said memory controllers to write data to said associated memory sub-groups in a predetermined pattern.
- 15-16. (Canceled)
17. (Original) The system as recited in Claim 14 wherein said pattern is a checkerboard pattern.
18. (Original) The system as recited in Claim 9 wherein said test controller is configured to enable said memory controllers to write data to said associated memory sub-groups in a first pattern during said first time periods and in a second pattern during a plurality of fourth time periods that are each distinct to one of said memory controllers and subsequent to said third time periods.
19. (Original) The system as recited in Claim 18 wherein said second pattern is an inverse of said first pattern.

20. (Original) The system as recited in Claim 19 wherein said first pattern is a checkerboard pattern and said second pattern is an inverse checkerboard pattern.
21. (Original) The system as recited in Claim 9 wherein said system and said memory sub-groups are integral to a common chip.
22. (Currently Amended) ~~An~~ A system for testing data retention of memory, comprising:  
means for accessing sub-groups of memory;  
means for controlling said accessing means to:  
write data to said memory sub-groups during a plurality of distinct first time periods,  
pause for a predetermined time interval during a second time period that is subsequent to said first time periods if the total time required to write data to said memory sub-groups is insufficient to determine data retention capabilities of said memory sub-groups, and  
read data from said memory sub-groups during a plurality of distinct third time periods that are subsequent to said second time period; and  
means for comparing said read data to expected results to determine said data retention capabilities of said memory sub-groups.
23. (Original) The system as recited in Claim 22 wherein said accessing means include dedicated accessing means configured to access one of said memory sub-groups.
24. (Original) The system as recited in Claim 22 wherein said accessing means include shared accessing means configured to access at least two of said memory sub-groups.

25 (Canceled)

26. (Original) The system as recited in Claim 22 wherein said controlling means are configured to enable said accessing means to write data to said memory sub-groups in a predetermined pattern.

27. (Original) The system as recited in Claim 26 wherein said pattern is a checkerboard pattern.

28. (Original) The system as recited in Claim 22 wherein said controlling means are configured to enable said accessing means to write data to said memory sub-groups in a first pattern during said first time periods and in a second pattern during a plurality of distinct fourth time periods that are subsequent to said third time periods.

29. (Original) The system as recited in Claim 28 wherein said second pattern is an inverse of said first pattern.

30. (Original) The system as recited in Claim 22 wherein said system and said memory sub-groups are integral to a common chip.